The Doyle UPS-Utility Power Sail

Standard Features Include:

1. Full Radial Design
2. Integral Aramid Luff Line
3. Integral Free-Luff Furling Unit
4. Leech and Foot Lines
5. Telltales
6. Sail Bag



*A low stretch halyard is reccommended with this sail.

UPS Color Schemes

Customer: _____

Boat Type: _____



A_____
B_____
C_____

Center Star



A_____
B_____
C_____

Boomerang

A, B & C can be the same or different colors.

Please indicate your color scheme preference by filling in the desired color using the appropriate letter and returning it to your Sail Consultant.



A_____
B_____
C_____

Captured Star

Color Selection

Red
White
Dk Blue
Yellow
Green
Black
Grey
Lt. Blue
Orange
Purple
Pink
Gold

Return to:

Catalina Yachts Store
Phone: (702) 370-6921
Fax : (702) 396-5534

Max. Luff _____

Attach tape measure to shackle of halyard you will be using for your UPS, raise halyard to maximum hoist and measure to point on deck where you will attach the tack of your UPS.

	Superlite		Superkote								Dynakote	Maxilite	Stormlite	Nylite
	40	50	60	75	80	90	130	150	250	350	75	150	210	90
Natural	X	X	X	X	X	X	X	X	X	X	X	X	X	X
New Pink		X		X		X					X	X		X
Orange				X		X						X		X
Red		X	X	X	X	X	X	X	X	X	X	X	X	X
Gold		X		X		X						X		X
Yellow				X		X					X	X		X
Fluor Yellow				X							X	X		X
Green		X		X		X					X	X		X
Fluor Green				X							X	X		X
Dark Blue		X	X	X	X	X	X	X	X	X	X	X	X	X
Light Blue				X		X					X	X		X
Lilac				X		X					X	X		X
Grey				X		X					X	X		X
Black				X		X					X	X		X





Colours may show slight variations when printed. For the correct reference please ask for our Spinnaker samples.