

SELDÉN CODE X

Furling system for gennaker, Code 0 and stay sail

Both the gennaker and the Code 0 take over when the spinnaker cannot be carried any more. They do not need a spinnaker pole, lift or downhaul. Sailing off the wind becomes easy, more efficient and definitely more fun.

Seldén has been manufacturing furling systems since the 80's and are world market leaders in jib furling and main sail furling. All this experience is put into the Seldén Code X and, as usual, our design focus has been reliable function. Our attention to details combined with low weight makes Seldén Code X easy to handle for the crew.

The system is operated with an endless furling line running over a line driver. A narrow line guide fitting leads the line on to the line driver and gives a good grip. A wedge shaped line stripper separates the line when unfurling, allowing the line driver to spin freely. The furling line is usually led all the way back to the cockpit. To help handling the endless control line, Seldén now offers a new custom Tandem-block. This is a fiddle block with two cam cleats. As an alternative, a shorter furling line can be operated by the foredeck crew.



The power and acceleration achieved when unfurling a Gennaker or a Code 0 is spectacular. And it's simple too.

Seldén Code X

Art.no. Basic kit	Model	Max working load, lb	Max suggested sail area, ft ²	Max RM at 30° heel, when used with Code 0	Retail Price (US \$)
545-010-10	CX10	2,250	540	25 kNm	\$ 869.00
545-100-10	CX15	3,370	860	45 kNm	\$1,515.00
545-200-10	CX25	5,620	1,240	90 kNm	\$1,871.00
545-433-10	CX45	9,920	2,155	200 kNm	\$3,996.00



Lower bearing assembly



Stainless "teeth" make for a good grip on the line when furling the sail.

Impact resistant composite cover around the line driver keeps the line in order and prevents damage to the boat when handling the system on the foredeck.



All structural parts are made of high-strength duplex stainless steel which has a 50% higher breaking load than 316 stainless steel. This means less material and lower weight.

Glass fibre/PA composite for strength and low weight.

The line guide fitting can be adjusted to one of 15 positions.

Reduced articulation of the snap shackle makes it easier to connect the furler to the bow of the boat or to a bow sprit.

Halyard swivel

Unique rubber fender prevents abrasion to the mast.



Spring loaded locking of the clevis pin. Pull the string and it opens. Push back and it locks. The captive locking arrangement is protected from accidental release.



Double Fairlead



Art. No. 480-501-01R
Retail Price (US \$) \$101.00

Additional equipment

Seldén Code X	Anti-Torsion Line				Thimble Kit for torque rope (2 pcs)			Thimble Kit for double rope (2 pcs)		Endless furling line				Tandem-block for furling line	
	Art. No.	Dimension Ø mm	L ft	Retail Price (US \$)	Art. No.	For AT Cable Ø mm	Retail Price (US \$)	Art. No.	Retail Price (US \$)	Art. No.	Dimension Ø in	L ft	Retail Price (US \$)	Art. No.	Retail Price (US \$)
CX10	613-020-01 613-020-02	9	42 52	\$261.00 \$321.00	545-114-01	9	\$71.00	545-115-01	\$36.00	611-007-06 611-007-07 611-007-08	5/16	13 26 39	\$36.00 \$59.00 \$89.00	405-001-40R	\$138.00
CX15	613-021-01 613-021-02 613-021-03	11	42 52 62	\$363.00 \$446.00 \$530.00	545-116-01	11	\$84.00								
CX25	613-022-01 613-022-02 613-022-03	13	52 62 72	\$660.00 \$783.00 \$907.00	545-216-01	13	\$93.00			545-215-01	\$48.00	611-011-05 611-011-06 611-011-07 611-011-18 611-011-19	3/8		
CX45	613-023-01 613-023-02 613-023-03	15	62 72 82 92	\$1,102.00 \$1,280.00 \$1,447.00 \$1,626.00	545-416-01	15	\$95.00	545-415-01	\$111.00	611-015-06 611-015-07 611-015-08 611-015-09	1/2	16 29 39 56	\$ 77.00 \$122.00 \$161.00 \$225.00	406-001-40R	\$190.00

Adapter Kits

Art. No.	Use With	AT Cable	Retail Price (US\$)
545-028-11	CX10	9	\$240.00
545-128-11	CX15	11	\$323.00
545-228-11	CX25	13	\$373.00
545-428-11	CX45	15	\$501.00



Clamp Kits

Art. No. (2 pcs)	For AT Cable Ø mm	Retail Price (US\$)
301-311-01	9 - 11	\$263.00
301-312-01	13	\$294.00
301-313-01	15	\$294.00



SELDÉN and FURLEX are registered trademarks of Seldén Mast AB

Seldén Mast Inc., USA Tel +1 843-760-6278. Fax +1 843-760-1220. e-mail info@seldenus.com

SELDÉN
for sailing